

## I. AMENDMENT

### Amendments to the Claims:

The following listing of claims replaces all prior versions, and listings, of claims in the application.

### Listing of Claims:

The following listing of claims replaces all prior listings or versions thereof:

1. (Currently Amended) An antiseptic composition comprising a basic reagent and a dye, wherein the basic reagent is a biguanide, a bipyridine, a phenoxide antiseptic, an alkyl oxide, ~~an aryl oxide~~, a thiol, a halide, an aliphatic ~~amine~~ amine, or an aromatic amine, and wherein the molar ratio of dye: basic reagent is 1:1 to 1:99 or the molar ratio of basic reagent to dye is 1:1 to 1:99.
2. (Original) The antiseptic composition of claim, wherein a basic reagent and a dye are bonded.
3. (Original) The antiseptic composition of claim 2, wherein a basic reagent and a dye are linked by ionic bonding.
4. (Original) The antiseptic composition of claim 2, wherein a basic reagent and a dye are linked by covalent bonding.
5. (Original) The antiseptic composition of claim 1, wherein the dye is a triarylmethane dye.
6. (Original) The antiseptic composition of claim 1, wherein the dye is a monoazo dye.
7. (Original) The antiseptic composition of claim 1, wherein the dye is a diazo dye.

8. (Original) The antiseptic composition of claim 1, wherein the dye is an indigoid dye.
9. (Original) The antiseptic composition of claim 1, wherein the dye is a xanthene dye.
10. (Original) The antiseptic composition of claim 1, wherein the dye is an anthraquinone dye.
11. (Original) The antiseptic composition of claim 1, wherein the dye is a quinoline dye.
12. (Original) The antiseptic composition of claim 1, wherein the dye is gentian violet or crystal violet, ethyl violet, brilliant green, an FD&C dye, or a D&C dye.
13. (Original) The antiseptic composition of claim 12, wherein the FD&C dye is Blue No. 1 or Green No. 3.
14. (Original) The antiseptic composition of claim 5, wherein the triarylmethane dye is gentian violet.
15. (Original) The antiseptic composition of claim 6, wherein the monoazo dye is FD&C Yellow No. 5 or FD&C Yellow No. 6.
16. (Original) The antiseptic composition of claim 7, wherein the diazo dye is D&C Red No. 17.
17. (Original) The antiseptic composition of claim 8, wherein the indigoid dye is FD&C Blue No. 2.

18. (Original) The antiseptic composition of claim 9, wherein the xanthene dye is FD&C Red No. 3.

19. (Original) The antiseptic composition of claim 10, wherein the anthraquinone dye is D&C Green No. 6.

20. (Original) The antiseptic composition of claim 11, wherein the quinoline dye is D&C Yellow No. 1.

21-25. (Canceled)

26. (Original) The antiseptic composition of claim 1, wherein the basic reagent is a bipyridine.

27. (Original) The antiseptic composition of claim 26, wherein the bipyridine is octenidine.

28. (Original) The antiseptic composition of claim 1, wherein the basic reagent is a phenoxide antiseptic.

29. (Original) The antiseptic composition of claim 28, wherein the phenoxide antiseptic is clofoctol.

30. (Original) The antiseptic composition of claim 28, wherein the phenoxide antiseptic is chloroxylonol.

31. (Original) The antiseptic composition of claim 28, wherein the phenoxide antiseptic is triclosan.

32. (Original) An antiseptic compound comprising a basic reagent bound to a dye.

33. (Original) The antiseptic compound of claim 32, wherein the basic reagent and the dye are bound ionically.
34. (Original) The antiseptic compound of claim 32, wherein the basic reagent and the dye are bound covalently.
35. (Currently Amended) The antiseptic compound of claim 32, wherein the ~~composition~~ basic reagent bound to a dye is gendine, genlenol, genlosan, or genfoctol.
36. (Original) The antiseptic compound of claim 32, further defined by its ability to impregnate and/or coat a surface.
37. (Original) The antiseptic compound of claim 36, wherein the surface is composed of a polymer.
38. (Original) The antiseptic compound of claim 37, wherein the polymer is polyvinyl chloride, polyurethane, polyethylene, silastic elastomers, polytetrafluoroethylene, dacron, collodion, carboethane or nylon.
39. (Original) The antiseptic compound of claim 36, wherein said surface is composed of silicone.
40. (Original) The antiseptic compound of claim 36, wherein said surface is a silk suture.
41. (Original) The antiseptic compound of claim 36, wherein the surface is an organic surface.
42. (Original) The antiseptic compound of claim 41, wherein the organic surface is skin.

43. (Original) The antiseptic compound of claim 41, wherein the organic surface is a mucosal surface.
44. (Original) The antiseptic compound of claim 41, wherein the organic surface is a wound.
45. (Original) The antiseptic compound of claim 36, wherein the surface is an inorganic surface.
46. (Original) The antiseptic compound of claim 45, wherein the inorganic surface is a floor.
47. (Original) The antiseptic compound of claim 45, wherein the inorganic surface is a table-top.
48. (Original) The antiseptic compound of claim 45, wherein the inorganic surface is a counter-top.
49. (Original) The antiseptic compound of claim 45, wherein the inorganic surface is the surface of a hospital equipment.
50. (Original) The antiseptic compound of claim 45, wherein the inorganic surface is a wheelchair surface.
51. (Withdrawn) A medical device coated with a basic reagent and a dye.
52. (Withdrawn) The medical device of claim 50, wherein a basic reagent and a dye are bonded.
53. (Withdrawn) The medical device of claim 52 wherein the basic reagent and the dye are bound ionically.

54. (Withdrawn) The medical device of claim 52, wherein the basic reagent and the dye are bound covalently.
55. (Withdrawn) The medical device of claim 52, further selected from the group comprising an endotracheal tube, a vascular catheter, an urinary catheter, a nephrostomy tube, a biliary stent, a peritoneal catheter, an epidural catheter, a central nervous system catheter, an orthopedic device, a prosthetic valve, and a medical implant.
56. (Withdrawn) The medical device of claim 55, wherein said vascular catheter is a central venous catheter, an arterial line, an pulmonary artery catheter, and a peripheral venous catheter.
57. (Withdrawn) The medical device of claim 55, wherein said central nervous system catheter is a intraventricular shunt.
58. (Withdrawn) A method for coating a medical device with an antiseptic composition comprising:
- a) immersing said medical device in a solvent comprising a basic reagent and a dye.
  - b) drying the device; and
  - c) washing off excessive composition.
59. (Withdrawn) The method of claim 58, wherein the solvent comprises methylene chloride, methanol, or a combination thereof.
60. (Withdrawn) A method for preventing nosocomial infections in a subject comprising coating a medical device that the subject is required to use with a composition comprising a basic reagent and to a dye.
61. (Withdrawn) The method of claim 60, wherein said subject is human.

62. (Withdrawn) The method of claim 60, wherein said nosocomial infection is pneumonia, bacteremia, fungemia, candidemia, a urinary tract infection, a catheter-exit site infection, and a surgical wound infection.
63. (Withdrawn) The method of claim 60, wherein said nosocomial infection is caused by a bacterium.
64. (Withdrawn) The method of claim 63, wherein said bacterium is a resistant bacterium.
65. (Withdrawn) The method of claim 64, wherein said resistant bacterium is selected from a group comprising methicillin-resistant staphylococci, vancomycin-resistant enterococci, and resistant *Pseudomonas aeruginosa*.
66. (Withdrawn) The method of claim 60, wherein said nosocomial infection is caused by a fungus.
67. (Withdrawn) The method of claim 66, wherein said fungus is a resistant fungus.
68. (Withdrawn) The method of claim 67, wherein said resistant fungus belongs to *Candida species*.
69. (Original) A method for disinfecting and/or sterilizing a surface comprising applying a composition comprising a basic reagent and a dye of claim 1 to the surface.
70. (Original) The method of claim 69, wherein the surface is an organic surface.
71. (Original) The method of claim 70, wherein the organic surface is selected from a group comprising, skin, a mucosal surface, and a wound surface.

72. (Original) The method of claim 69, wherein the surface is an inorganic surface.
73. (Previously Presented) The method of claim 72, wherein the inorganic surface is selected from a group consisting of a floor, a table-top, a counter-top, hospital equipment, a wheel chair, gauze, and cotton.
74. (Original) A method for disinfecting and/or sterilizing a fluid comprising adding a composition comprising a basic reagent and a dye of claim 1 into the fluid.
75. (Original) The method of claim 74, wherein said fluid is water.
76. (Original) The method of claim 74 wherein said fluid is a metal working fluid.
77. (Original) The method of claim 74, wherein said fluid is petroleum.
78. (Withdrawn) A method for preserving a substance comprising applying a composition comprising a basic reagent and a dye on the substance.
79. (Withdrawn) The method of claim 78, wherein the substance is selected from the group comprising wood, paint, plastic and paper.
80. (Previously Presented) An antiseptic composition comprising a basic reagent and a dye, wherein the dye is a diazo dye, ethyl violet, brilliant green, an indigoid dye, a quinoline dye, FD&C Yellow No. 5, D&C Red No. 17, FC&C Red No. 3, D&C Green No. 6, FD&C Blue No. 2, D&C Yellow No. 1, FD&C Blue No. 1, or FD&C Green No. 3.
81. (Previously Presented) The antiseptic compound of claim 32, wherein the basic reagent is a guanidium: chlorhexidine, alexidine, hexamidine; a biguanide; a bipyridine: octenidine; a phenoxide antiseptic: clofoctol, chloroxylenol, triclosan; an alkyl oxide; a thiol; a halide; an aliphatic amino; or an aromatic amine.

82. (Previously Presented) The antiseptic compound of claim 32, wherein the dye is a triarylmethane dye: gentian violet, crystal violet; a monoazo dye: FD&C Yellow No. 5, FD&C Yellow No. 6; a diazo dye: D&C Red NO. 17; a xanthene dye: FD&C Red No. 3; an anthraquinone dye: D&C Green No. 6; ethyl violet; brilliant green; an indigoid dye: FD&C Blue No. 2; a quinoline dye: D&C Yellow No.1; an FD&C dye: Blue No. 1, Green No.3; or a D&C dye.

83. (New) The antiseptic composition of claim 1, wherein the dye is brilliant green dye, quinoline yellow, or indigo carmine.

84. (New) The antiseptic composition of claim 1, wherein the dye is brilliant green and the basic reagent is chlorhexidine.

85. (New) The antiseptic composition of claim 1, wherein the dye is quinoline yellow and the basic reagent is chlorhexidine.

86. (New) The antiseptic composition of claim 1, wherein the dye is indigo carmine and the basic reagent is chlorhexidine.

88. (New) The antiseptic composition of claim 1, wherein the molar ratio of dye to basic reagent is 1:1 to 1:99.

89. (New) The antiseptic composition of claim 1, wherein the molar ratio of basic reagent to dye is 1:1 to 1:99.

90. (New) The antiseptic composition of claim 88, wherein the molar ratio of dye to basic reagent is 1:1 to 1:25.